



## RTD-4AL RTD SENSOR ASSEMBLY

nVent RAYCHEM RTD-4AL is a three-wire platinum resistance temperature detector (RTD) typically used with control and monitoring systems when accurate temperature control is required. Designed for use in non-hazardous and CID2 locations.

### FEATURES & BENEFITS

Simple and fast to install, connection with 3/4"/19 mm NPT conduit hub

Sensor housing is NEMA-4X rated

Temperature measuring range: -100 °F to 900 °F/-73 °C to 482 °C

Reliable during long life

### SPECIFICATIONS

**Mounting** Pipe Strap

**Sensor Type** PT100

**Max Measuring Range** 900 °F

Table 1/1

Catalog Number	Item Name	Housing Material
RTD4AL	RTD4AL	Aluminum

**North America**

Tel +1.800.545.6258  
Fax +1.800.527.5703  
thermal.info@nvent.com

**Europe, Middle East, Africa**

Tel +32.16.213.511  
Fax +32.16.213.604  
thermal.info@nvent.com

**Asia Pacific**

Tel +86.21.2412.1688  
Fax +86.21.5426.3167  
cn.thermal.info@nvent.com

**Latin America**

Tel +1.713.868.4800  
Fax +1.713.868.2333  
thermal.info@nvent.com



Our powerful portfolio of brands:  
**nVent.com CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER**

© 2021 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.  
nVent reserves the right to change specifications without notice.