

Extended Stud End Fixing



Extended Stud for anchoring into concrete ceilings, metal decking, and pressed metal brackets.
NOT suitable for use in chlorinated / swimming pool environments.

APPLICATION / MATERIAL SPECS

For the suspension of HVAC, mechanical, lighting & electrical services in an indoor stationary setting. Longer stud ideal for use with Grippler Threaded Metal Deck Insert, or other cast-in-place concrete inserts.

MATERIAL

Cable: Galvanized high tensile steel cable to EN12385.
Standard lengths from 5ft-30ft, other lengths can be made to order.

	No. 2	No. 3	No. 4
Cable Dia. (in.)	5/64"	1/8"	3/16"
Strand configuration	7x7	7x7	7x19

Stud: Zinc plated steel


* Refer to fastener load ratings and safety factors.

EXTENDED STUD

Cable with crimped extended stud*




SIZE SPECS



Size	A (in.)	B (in.)	C (in.)
No. 2	3/8"	2"	5"
	1/2"	3"	5.8"
No. 3	3/8"	2"	5"
	1/2"	3"	5.8"
No. 4	3/8"	2"	5"
	1/2"	3"	6.4"

APPLICATION EXAMPLE



PI-EXT-STUD-US
Digital AUG 2022

www.grippler.com

Grippler's policy is one of continuous development and innovation.
We therefore reserve the right to alter specifications, etc. without notice.



Grippler Inc | 1611 Emily Lane | Aurora, IL 60502 | USA

Tel +1 866 474 7753 Fax +1 800 654 0689 Email gripplerinc@grippler.com